#### PATENT

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/532,202

Confirmation No.: 6755

Applicant(s):

STEFFEN HASENZAHL, ET AL.

Filed:

April 14, 2005

TC/A.U.

1796

Examiner:

Peter F. Godenschwager

Title:

**PULVERULENT MATERIALS** 

Docket No.:

032301.415

Customer No.:

25461

## MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

#### DECLARATION UNDER 37 C.F.R. § 1.132

Jürgen Meyer, a co-inventor in the above-identified application hereby declares and states as follows:

As a co-inventor in this application, he is completely familiar with the subject matter of this application and is informed that a final rejection has issued from the U.S. Patent and Trademark Office which has rejected the claims in the application as anticipated by the European patent EP 0672731 of Ettinger, et al.

He wishes to call to the attention of the Examiner in the U.S. Patent and Trademark Office that he is also co-inventor named in the European patent 0672731, as shown by the attached first page of that document. He is the same Dr. Jurgen Meyer as identified under the designation "Erfinder" which is the German word meaning "inventor".

He notes that the claims in the above-identified application are directed to pulverulent materials and mixes thereof containing one or more surface-modified and structure-modified pyrogenically prepared metalloids or metallic oxides such as silical.

App. 10/532,202 Declaration

He is advised that the Official Action refers to the European patent of Ettlinger, et al. as disclosing a structurally-modified silica.

As the co-inventor in the European patent 0672731 which is cited in the U.S. Patent and Trademark Office against this application, he is completely familiar and knowledgeable with respect to the content of the European patent, as well as the above-identified application having been intimately involved with the invention described in each of those documents.

He can state without any qualifications whatsoever that the European patent EP 0672731 of which he is the co-inventor did not relate to a structurally modified silica and does not disclose a structurally modified silica and does not contemplate a composition containing a structurally-modified silica. Accordingly, he is of the opinion that the Official Action wherein the U.S. Patent and Trademark Office takes the position that the European patent of Ettlinger et al. discloses a structurally modified silica is technically incorrect and is in error.

I, Jürgen Meyer, hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this declaration is directed.

JÜRGEN MILYER

Date: 2314 Nov. 2007

.

LTT\1086600.I

### Silanised silicas

Patent number:

EP0672731

**Publication date:** 

1995-09-20

**Inventor:** 

ETTLINGER MANFRED DR (DE); KERNER DIETER DR

(DE); MEYER JUERGEN DR (DÉ)

Applicant:

DEGUSSA (DE)

Classification:

- international:

C09C1/30

- european:

A61K7/48A4; B01J2/30; C09C1/30D12; G03G9/097B3

**Application number:** EP19940118099 19941117 **Priority number(s):** DE19944402370 19940127

Also published as:



JP7232912 (A) DE4402370 (A1) EP0672731 (B1)

Cited documents:



EP0216047 EP0475132

JP63043976

### Abstract of EP0672731

Silanised, pyrogenically-produced silica is new. Also claimed is prodn. of the silica where silanisation is effected by intensive mixing of pyrogenically-produced silica while spraying (opt. first with ester) with an alkoxy silane of formula (RO)3 SiCu H2n+1 (R = alkyl and n = 10-18); followed by post mixing for 15-30 mins. and tempering at 100-160 deg C for 1-3 hrs.

Data supplied from the **esp@cenet** database - Worldwide